

INDUSTRIAL

TANKS 59

- Primary bins and vats
- Chemical / acid storage tanks
- White chemical/acid storage tanks
- Chemical / acid processing tanks (cylindrical vertical conical bottom)
- Chemical / acid processing tanks (cylindrical vertical disc bottom)
- Chemical / acid storage tanks (horizontal cylindrical)
- Electroplating pickling tanks
- Mixing tanks

CONTAINERS 63

- Processing crates
- Reno processing crates
- Stackable crates
- Supertuff crates
- Stackable doff crates
- Foldable plastic crates
- Nestable crates
- Tablet packing box
- Pallet crates
- Troughs
- Coiler can tub
- Multiutility crates

SHADES 69

- Crates (DBS/DBN)
- Pallets (moulded)
- Insulated crates (IR)

PALLETS 70

- Moulded non-reversible 2-way entry (HS-series)
- Popular moulded non-reversible 2-way entry (EHS-series)
- Popular moulded non-reversible 2-way entry (222 HS-series)
- Popular moulded non-reversible 4-way entry (222 HS-series)
- Popular non-reversible 2-way entry (333 HS-series)
- Popular moulded non-reversible 4-way entry (333 HS-series)
- Popular moulded non-reversible 2-way entry (444 HS-series)
- Popular non-reversible 2-way entry (444 HS-series)
- Popular moulded non-reversible 4-way entry (HS-series)
- Regular moulded reversible 2-way entry (HS-series)
- Perforated moulded non-reversible 2/4 way entry
- Poly pallets
- Injection moulded pallets
- New ecopal pallets
- Spillage pallets

INSULATED CRATES 73

- General purpose insulated boxes
- Fish boxes / Insulated Shippers

INSULATED CRATES (CONT'D) 75

- Premium boxes
- Cooler can boxes
- Designer boxes
- Vaccine carriers and cold boxes

FRP UNDERGROUND STORAGE TANKS 76

- Sintex underground fuel storage tanks
- Sintex on-ground chemical storage tanks

OTHER PRODUCTS 78

- Dryer trays
- Intermediate bulk containers
- FRP grating
- FRP cable trays

- Dos and don'ts about pallets

OEM & CUSTOM MOULDING 80

- Cooling tower industry
- Battery industry
- Genset industry
- Defence and telecommunication industry
- Packaging solutions

INDUSTRIAL

TANKS

PRIMARY BINS & VATS

CYLINDRICAL VERTICAL TANKS WITH OPEN TOP:
CV SERIES

| RANGE & SPECIFICATIONS | | | | |
|----------------------------|-------------------|-------------|----------------|-------------|
| Code No. | Capacity (Litres) | Top OD (mm) | Bottom OD (mm) | Height (mm) |
| CV-03-02 (with ring) | 30 | 360 | 355 | 390 |
| CV-04-01 | 40 | 435 | 330 | 485 |
| CV-04-02 (with ring) | 40 | 360 | 355 | 465 |
| CV-04-04 | 40 | 445 | 315 | 480 |
| CV-05-01 | 50 | 430 | 410 | 440 |
| CV-06-01 | 60 | 420 | 400 | 560 |
| CV-06-02 | 60 | 465 | 410 | 540 |
| CV-06-03 (with ring) | 60 | 360 | 355 | 615 |
| CV-06-04 (with ring) | 60 | 435 | 425 | 545 |
| CV-08-01 | 80 | 460 | 410 | 705 |
| CV-10-01 | 100 | 515 | 475 | 625 |
| CV-12-01 | 120 | 570 | 500 | 635 |
| CV-15-01 | 150 | 570 | 490 | 900 |
| CV-20-01 (Corrugated Wall) | 200 | 580 | 565 | 900 |
| CV-22-01 | 220 | 625 | 560 | 1000 |
| CV-25-01 | 250 | 610 | 580 | 1045 |
| CV-30-01 | 300 | 780 | 730 | 830 |
| CV-50-01 | 500 | 820 | 735 | 1260 |
| CV-50-02 | 500 | 1215 | 1135 | 600 |
| CV-100-01 | 1000 | 1080 | 1000 | 1410 |
| CV-100-03 | 1000 | 1200 | 1120 | 1140 |
| CV-150-01 | 1500 | 1400 | 1300 | 1275 |
| CV-200-01 | 2000 | 1400 | 1300 | 1680 |

OD: Open Diameter

FEATURES:

- Best raw material base • Seamless construction
- Reasonable cost • Excellent after-sales service
- Made using the latest manufacturing technique
- Zero maintenance • Long life

Standard Colour: Natural

All CV containers are available with lids.
CV 20-01 comes with a corrugated wall.
CV 6-02 can also be offered in dark brown.
To be installed on flat surface with full bottom support.



CHEMICAL/ACID STORAGE TANKS CYLINDRICAL VERTICAL TANKS WITH CLOSED TOP & FLAT BOTTOM: CCV SERIES

| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|----------------|-------------|-------------------|
| Code No. | Capacity (Litres) | Outer Dia (mm) | Height (mm) | Manhole Size (mm) |
| CCV-50-01 | 500 | 1030 | 755 | 400 |
| CCV-50-02 | 500 | 910 | 955 | 400 |
| CCV-75-01 | 750 | 1030 | 1120 | 400 |
| CCV-100-01 | 1000 | 1100 | 1240 | 400 |
| CCV-150-01 | 1500 | 1350 | 1275 | 400 |
| CCV-200-01 | 2000 | 1350 | 1600 | 400 |
| CCV-250-01 | 2500 | 1500 | 1700 | 400 |
| CCV-300-01 | 3000 | 1500 | 2010 | 450 |
| CCV-400-01 | 4000 | 1820 | 1830 | 510 |
| CCV-500-01 | 5000 | 2000 | 1910 | 510 |
| CCV-600-01 | 6000 | 1800 | 2705 | 510 |
| CCV-600-02 | 6000 | 2000 | 2145 | 510 |
| CCV-750-01 | 7500 | 2000 | 2880 | 510 |
| CCV900-01 | 9000 | 3000 | 1500 | 510 |
| CCV-1000-02 | 10000 | 2550 | 2510 | 510 |
| CCV-1000-03 | 10000 | 2125 | 3160 | 510 |
| CCV-1500-01 | 15000 | 2550 | 3580 | 510 |
| CCV-1500-02 | 15000 | 3000 | 2810 | 510 |
| CCV-2000-01 | 20000 | 2580 | 4600 | 510 |
| CCV-2000-02 | 20000 | 3000 | 3370 | 510 |
| CCV-2500-01 | 25000 | 3050 | 4070 | 510 |

Note: Chemical Storage Tanks to be installed strictly as per our installation instructions which is supplied with each tank.

FEATURES:

- Best raw material base • Seamless construction
- Reasonable cost • Excellent after-sales service • Made using latest manufacturing technique • Immunity to maintenance • Long life

Standard Colour: Black

To be installed on a flat surface with full bottom support.
Fittings and accessories optionally available.



WHITE CHEMICAL/ACID STORAGE TANKS

WHITE CYLINDRICAL VERTICAL TANKS WITH
CLOSED TOP & FLAT BOTTOM: CCV SERIES (WDW)



FEATURES:

- UV stabilized • Best raw material base • Seamless construction • Reasonable cost • Excellent after-sales service • Latest manufacturing technique • Long life • Maintenance-free

Standard Colour: White exterior, black interior

To be installed on a flat surface with full bottom support.
Fittings and accessories available on request.

| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|----------------|-------------|-------------------|
| Code No. | Capacity (Litres) | Outer Dia (mm) | Height (mm) | Manhole Size (mm) |
| CCV-100-01 (WDW) | 1000 | 1100 | 1240 | 400 |
| CCV-150-01 (WDW) | 1500 | 1350 | 1275 | 400 |
| CCV-200-01 (WDW) | 2000 | 1350 | 1600 | 400 |
| CCV-250-01 (WDW) | 2500 | 1500 | 1700 | 400 |
| CCV-300-01 (WDW) | 3000 | 1500 | 2010 | 450 |
| CCV-400-01 (WDW) | 4000 | 1820 | 1830 | 510 |
| CCV-500-01 (WDW) | 5000 | 2000 | 1910 | 510 |

CHEMICAL/ACID PROCESSING TANKS CYLINDRICAL VERTICAL TANKS WITH CONICAL BOTTOM: CVC SERIES

FEATURES:

- Best raw material base • Seamless construction • Long life
- Reasonable cost • Excellent after-sales service • Made using latest manufacturing technique • Maintenance-free

| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-----------------|-------------|-------------------|
| Code No. | Capacity (Litres) | Outer Dia. (mm) | Height (mm) | Manhole Size (mm) |
| CVC-200-01 | 2000 | 1360 | 1960 | 400 |
| CVC-400-01 | 4000 | 1800 | 2160 | 510 |
| CVC-500-01 | 5000 | 2000 | 2280 | 510 |
| CVC-1000-01 | 10000 | 2000 | 3915 | 510 |
| CVC-1000-02 | 10000 | 2550 | 2990 | 510 |
| CVC-1500-01 | 15000 | 2550 | 4075 | 510 |
| CVC-1500-02 | 15000 | 3000 | 3245 | 510 |
| CVC-2000-02 | 20000 | 3000 | 3845 | 510 |
| CVC-2500-01 | 25000 | 3000 | 4545 | 510 |



Standard Colour: Black

To be used with M.S. support structure.

- M.S. support structure, fittings and accessories available on request.
- M.S. support structure to be fabricated only after receipt of product at site owing to process variation.

CHEMICAL/ACID PROCESSING TANKS HORIZONTAL CYLINDRICAL TANKS: TH SERIES

FEATURES:

- Best raw material base • Long life • Reasonable cost • Made using latest manufacturing technique
- Excellent after-sales service • Maintenance-free • Seamless construction

Standard Colour: Black

To be used with M.S. support structure.

- M.S. support structure, fittings and accessories available on request.
- M.S. support structure to be fabricated only after receipt of product at site owing to process variation.



| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-----------------|-------------|-------------------|
| Code No. | Capacity (Litres) | Outer Dia. (mm) | Length (mm) | Manhole Size (mm) |
| TH-500-01 | 5000 | 1610 | 2810 | 470 |
| TH-1000-01 | 10000 | 2000 | 4070 | 470 |
| TH-2000-01 | 20000 | 2560 | 4840 | 470 |

CHEMICAL/ACID PROCESSING TANKS CYLINDRICAL VERTICAL TANKS WITH DISC BOTTOM: CVD SERIES


FEATURES:

- Best raw material base • Seamless construction • Long life
- Maintenance-free • Reasonable cost • Excellent after-sales service • Made using latest manufacturing technique

Standard Colour: Natural, black

To be used with M.S. support structure.

- M.S. support structure, fittings and accessories available on request.
- M.S. support structure to be fabricated only after receipt of product at site owing to process variation.



| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-----------------|--------------------|-------------|
| Code No. | Capacity (Litres) | Outer Dia. (mm) | Internal Dia. (mm) | Height (mm) |
| CVD 30-01 | 300 | 780 | 730 | 900 |
| CVD 50-01 | 500 | 1200 | 1130 | 720 |
| CVD 50-02* | 500 | 810 | 730 | 1440 |
| CVD 100-01 | 1000 | 1200 | 1100 | 1320 |
| CVD 150-01 | 1500 | 1200 | 1100 | 1920 |

*CVD 50-02 comes with a conical bottom.

ELECTROPLATING PICKLING TANKS RECTANGULAR TANKS: R SERIES

FEATURES:

- Best raw material base • Seamless construction
- Reasonable cost • Excellent after-sales service
- Made using latest manufacturing technique
- Maintenance-free • Long life



| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-------------|------------|-------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) |
| R-10-01 (with lid) | 100 | 570 | 570 | 565 |
| R-20-01 | 200 | 1065 | 585 | 480 |
| R-22-01 | 220 | 720 | 720 | 625 |
| R-25-01 (with lid) | 250 | 890 | 645 | 600 |
| R-30-01 | 300 | 935 | 635 | 780 |
| R-42-01 | 420 | 1965 | 745 | 415 |
| R-48-01 | 480 | 1020 | 875 | 760 |
| R-65-01 | 650 | 1320 | 870 | 760 |
| R-84-01 | 840 | 1620 | 870 | 760 |
| R-90-01 | 900 | 1620 | 1570 | 495 |
| R-95-01 | 950 | 1330 | 1180 | 775 |
| R-100-01 | 1000 | 1270 | 1210 | 1030 |
| R-100-02 | 1000 | 1930 | 875 | 755 |
| R-110-01 | 1100 | 1350 | 1350 | 760 |
| R-120-01 | 1200 | 1640 | 1180 | 770 |
| R-120-03 | 1200 | 2540 | 870 | 770 |
| R-145-01 | 1450 | 1940 | 1180 | 765 |
| R-210-01 | 2100 | 2680 | 1250 | 815 |
| R-300-03 | 3000 | 3650 | 1530 | 780 |

MIXING TANKS

CYLINDRICAL VERTICAL TANKS WITH OPEN TOP: MT SERIES



FEATURES:

- Moulded out of superior grades of polyethylene
- Strong and durable
- Seamless and smooth inside-out
- Excellent chemical resistance
- Light-duty with four built-in pockets

Standard Colour: Black

| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|---------------|------------------|-------------|
| Code No. | Capacity (Litres) | Top Dia. (mm) | Bottom Dia. (mm) | Height (mm) |
| MT-20-01 (with lid) | 200 | 770 | 610 | 700 |

RENO PROCESSING CRATES

RENO PROCESSING CRATES: RPT SERIES



FEATURES:

- Strong
- Vertical ribs for additional strength
- Ideal for textile, hotels, food and laundry industry

Standard Colours: Natural and grey

To be used with M.S. support trolley with wheels.

- M.S. support trolley with wheels available on request.
- M.S. support trolley with wheels to be fabricated only after receipt of product at site owing to process variation.

| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-------------|------------|-------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) |
| RPT-120-01 | 1200 | 1695 | 1195 | 780 |
| RPT-145-01 | 1450 | 1995 | 1195 | 780 |

CONTAINERS

PROCESSING CRATES

PROCESSING CRATES: PT SERIES

FEATURES:

- Moulded out of superior grades of polyethylene
- Seamless and smooth inside out
- Strong and durable
- Stain free
- Snag free
- Maintenance-free
- Chemical resistant
- Lightweight
- Large range to handle fabrics of all widths and types



| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-------------|------------|-------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) |
| PT-30-01 | 300 | 895 | 590 | 780 |
| PT-40-02 | 400 | 1360 | 1360 | 310 |
| PT-48-01 | 480 | 1015 | 870 | 760 |
| PT-65-01 | 650 | 1320 | 870 | 760 |
| PT-84-01 | 840 | 1620 | 870 | 760 |
| PT-95-01 | 950 | 1330 | 1180 | 775 |
| PT-95-02 | 950 | 1635 | 1180 | 660 |
| PT-100-01 | 1000 | 1270 | 1210 | 1030 |
| PT-100-02 | 1000 | 1930 | 875 | 755 |
| PT-110-01 | 1100 | 1350 | 1350 | 760 |
| PT-120-01 | 1200 | 1640 | 1180 | 770 |
| PT-120-02 | 1200 | 1650 | 930 | 1010 |
| PT-120-03 | 1200 | 2540 | 870 | 770 |
| PT-120-04 (nestable) | 1200 | 1490 | 1280 | 770 |
| PT-145-01 | 1450 | 1940 | 1180 | 765 |
| PT-145-02 (nestable) | 1450 | 1755 | 1230 | 830 |
| PT-210-01 | 2100 | 2680 | 1250 | 815 |
| PT-300-03 | 3000 | 3650 | 1530 | 780 |

STACKABLE CRATES

DOFF BASKETS/STACKABLE CRATES: DBS SERIES

FEATURES:

- Moulded out of superior grades of polyethylene
- Seamless and smooth inside-out
- Strong and durable
- Maintenance-free
- Stain free
- Snag free
- Stackable
- Choice of colours for codification

Standard Colours: Natural, light blue, dark blue, pink, red, yellow, light green, light grey



| RANGE & SPECIFICATIONS | | | | |
|-------------------------------|-------------------|-------------|------------|-------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) |
| DBS 2-01 | 20 | 405 | 305 | 225 |
| DBS 4-01 (outer rim) | 40 | 660 | 320 | 345 |
| DBS 4-02 | 40 | 645 | 290 | 340 |
| DBS 4-05 | 40 | 400 | 300 | 320 |
| DBS 5-01 | 50 | 525 | 365 | 320 |
| DBS 6-01 (outside handle) | 60 | 500 | 500 | 295 |
| DBS 6-03 | 60 | 600 | 400 | 285 |
| DBS 6.5-01 (ribbed bottom) | 60 | 650 | 320 | 340 |
| DBS 7-01 | 70 | 600 | 400 | 320 |
| DBS 8-01 | 80 | 600 | 400 | 390 |
| DBS 9-01 (outside handle) | 90 | 555 | 555 | 340 |
| DBS 9-02 (stackable/nestable) | 90 | 690 | 490 | 455 |
| DBS 9-03 | 90 | 600 | 410 | 440 |
| DBS 12-01 (outside handle) | 120 | 635 | 635 | 355 |
| DBS 14-01 (ribbed bottom) | 140 | 990 | 460 | 315 |
| DBS 15-01 (outside handle) | 150 | 760 | 655 | 420 |
| DBS 15-03-I/RN (with lid) | 150 | 610 | 595 | 495 |
| DBS 19-02 | 190 | 770 | 625 | 405 |
| DBS 20-01 | 200 | 815 | 420 | 645 |
| DBS 22-01 | 220 | 810 | 540 | 545 |
| DBS 25-01 | 250 | 825 | 565 | 600 |
| DBS 30-01 | 300 | 940 | 630 | 535 |
| DBS 35-01 (with lid) | 350 | 940 | 625 | 645 |
| DBS 40-01 | 400 | 1090 | 720 | 645 |

SUPERTUFF CRATES

SUPERTUFF STACKABLE CRATES: DBS-011 SERIES

FEATURES:

- Maintenance-free
- Made from superior grades of polyethylene
- Portable with built-in pockets hence ease of handling
- Available in several designs for stacking
- Lightweight yet strong

Standard Colour: Dark blue

RANGE & SPECIFICATIONS

| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) |
|-----------------------------|-------------------|-------------|------------|-------------|
| DBS 2-011 | 20 | 405 | 305 | 225 |
| DBS 5-011 | 50 | 525 | 365 | 320 |
| DBS 6-011 | 60 | 500 | 500 | 295 |
| DBS 6.5-011 (ribbed bottom) | 65 | 650 | 320 | 340 |
| DBS 7-011 | 70 | 600 | 400 | 320 |
| DBS 9-011 | 90 | 555 | 555 | 340 |
| DBS 14-011 (ribbed bottom) | 14 | 985 | 460 | 315 |
| DBS 25-011 | 250 | 825 | 565 | 600 |
| DBS 30-011 | 300 | 940 | 630 | 535 |



FOLDABLE PLASTIC CRATES

FEATURES:

- Ingenious folding mechanism - folds/unfolds within seconds
- Up to 75% volume reduction
- Ideal for food and non-food products
- High strength reduces product damage due to bulging, breaking and stack collapsing
- Safe storage of fresh food products as well as industrial products
- Fully vented design for better ventilation and increased shelf life
- Saves warehouse space - the strong, robust design and high load capacity allows for increased stacking height
- Decreased transport costs
- Meets GMP and FDA requirements
- Can be stored at -20°C to +60°C
- 100% recyclable

RANGE & SPECIFICATIONS

| Code No. | Length (mm) | Width (mm) | Height (mm) |
|-------------|-------------|------------|-------------|
| FDBS-4.5-01 | 602 | 404 | 231 |



STACKABLE DOFF CRATES

012 SERIES

FEATURES:

- Made from superior grade of polyethylene
- Strong and durable to render long term service
- Kiss-off type double collar rim for edge break prevention
- Angular side ribs for additional strength
- Diamond shape ribs at bottom to protect against wear and tear

RANGE & SPECIFICATIONS

| Code No. | Length (mm) | Width (mm) | Height (mm) |
|-----------|-------------|------------|-------------|
| DBS 02-12 | 405 | 305 | 225 |
| DBS 05-12 | 525 | 365 | 320 |
| DBS 07-12 | 600 | 400 | 320 |
| DBS 08-12 | 600 | 400 | 390 |
| DBS 25-12 | 825 | 565 | 600 |



NESTABLE CRATES

NESTABLE CRATES: DBN SERIES

FEATURES:

- Moulded out of superior grades of polyethylene
- Seamless and smooth inside-out
- Strong and durable
- Maintenance-free
- Stain free
- Snag free
- Nestable, hence saves floor space
- Choice of colours for codification

Standard Colours: Natural, light blue, dark blue, pink, red, yellow, light green, light grey

RANGE & SPECIFICATIONS

| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) |
|-----------|-------------------|-------------|------------|-------------|
| DBN 03-01 | 30 | 500 | 500 | 245 |
| DBN 04-01 | 40 | 515 | 340 | 335 |
| DBN 10-01 | 100 | 792 | 545 | 440 |
| DBN 34-01 | 340 | 1000 | 700 | 640 |



TABLET PACKING BOX
FOR PHARMACEUTICAL INDUSTRY



- FEATURES:
- Stacking Capacity: 1+3
 - Central locking provision in stacking
 - Ideal for tablet storing in pharma industry
 - Can supply container and lid in desired colour combinations
 - Ideal for pharmaceutical application

Standard Colours: Natural and grey

| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-------------|------------|-------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) |
| DBS-2.5-01 | 25 | 345 | 310 | 340 |

TROUGHS
TROUGHS: T SERIES



- FEATURES:
- Best raw material base
 - Seamless construction
 - Reasonable cost
 - Excellent after-sales service
 - Made using latest manufacturing technique
 - Maintenance-free
 - Long life

Standard Colour: Natural

| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-------------|------------|-------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) |
| T-40-02 | 400 | 1360 | 1360 | 310 |
| T-50-01 | 500 | 1300 | 1300 | 400 |
| T-80-01 | 800 | 2625 | 1375 | 320 |

PALLET CRATES
PALLET CRATES: PLC SERIES



- FEATURES:
- Best raw material base
 - Seamless construction
 - Made using latest manufacturing technique
 - Reasonable cost
 - Excellent after-sales service
 - Maintenance-free
 - Long life with pallet base

Standard Colours: Natural and light blue

| RANGE & SPECIFICATIONS | | | | |
|----------------------------------|-------------------|-------------|------------|-------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) |
| PLC-028-01 | 280 | 840 | 840 | 450 |
| PLC-032-01 | 320 | 800 | 750 | 645 |
| PLC-50-01 | 500 | 850 | 850 | 725 |
| PLC-60-01 (with racking grooves) | 600 | 1100 | 850 | 760 |
| PLC-080-01 (with lid) | 800 | 1100 | 900 | 895 |
| PLC-100-01 | 1000 | 1175 | 1000 | 1000 |

COILER CAN TUB
COILER CAN TUB: CCT SERIES



- FEATURES:
- Made out of virgin, high-impact polymers
 - The rope does not come into contact with any metal part in process, thus avoiding any damage/staining to the yarn
 - Supported by a sturdy spider web MS structure made with V angles/plates and provided with heavy duty ball bearing 6" x 3" wheels for ease in movement

| RANGE & SPECIFICATIONS | | | |
|--------------------------------|---------------|------------------|-------------|
| Code No. | Top Dia. (mm) | Bottom Dia. (mm) | Height (mm) |
| CCT-280-01 (without structure) | 1500 | 1460 | 1750 |
| CCT-300-01 (without structure) | 1675 | 1675 | 1675 |
| CCT-300-02 (with structure) | 1675 | 1675 | 1925 |

Note: We can also custom mould coiler cans in accordance with client's specific requirements in minimum possible time

MULTI-UTILITY CRATES

FEATURES:

- One-piece moulded
- Made from superior grade polyethylene
- Strong and durable
- Hygienic, easy to clean and wash

| RANGE & SPECIFICATIONS | | | |
|------------------------|-------------|------------|-------------|
| Code No. | Length (mm) | Width (mm) | Height (mm) |
| TR 01-01 | 500 | 400 | 80 |
| TR 01-02 | 300 | 200 | 100 |
| TR 01-03 | 485 | 310 | 100 |



TR 01-01




TR 01-02




TR 01-03

SHADE CARD


CRATES (DBS/DBN)



PALLETS (MOULDED)




INSULATED CRATES (IR)



PALLETS

FEATURES:

- Cost effective
- Rotproof
- Compatible with all existing lifting systems
- Easy to clean and wash



| RANGE & SPECIFICATIONS | | | | | | | |
|---|-------------|------------|-------------|--|--------|---------|---------|
| Code No. | Length (mm) | Width (mm) | Height (mm) | Descriptions | Static | Dynamic | Racking |
| (POPULAR) MOULDED NON-REVERSIBLE 2-WAY ENTRY (HS SERIES) | | | | | | | |
| PNR 2 HS 0810-02 | 1000 | 800 | 145 | 3 longitudinal skids, entry from width side, plain top | ✓ | ✓ | ✓ |
| PNR 2 HS 0812-05 | 1200 | 800 | 170 | 3 longitudinal skids, entry from width side, plain top | ✓ | ✓ | ✓ |
| PNR 2 HS 0813-01 | 1300 | 800 | 150 | 3 longitudinal skids, entry from width side, plain top | ✓ | ✓ | ✓ |
| PNR 2 HS 1010-02 | 1000 | 1000 | 150 | 3 longitudinal skids, entry from length side, plain top | ✓ | ✓ | ✓ |
| PNR 2 HS 1010-07 | 1000 | 1000 | 160 | 3 longitudinal skids, entry from length side, plain top | ✓ | ✓ | ✓ |
| PNR 2 HS 1012-01 | 1200 | 1000 | 150 | 3 longitudinal skids, entry from length side, plain top | ✓ | ✓ | ✓ |
| PNR 2 HS 1012-02 | 1200 | 1000 | 150 | 3 longitudinal skids, entry from width side, plain top | ✓ | ✓ | ✓ |
| PNR 2 HS 1012-03 | 1200 | 1000 | 150 | 3 longitudinal skids, entry from width side, plain top, racking grooves | ✓ | ✓ | ✓ |
| PNR 2 HS 1012-08 | 1200 | 1000 | 150 | 3 longitudinal skids, entry from width side, corrugated top | ✓ | ✓ | ✓ |
| PNR 2 HS 1012-09 | 1200 | 1000 | 170 | 3 longitudinal skids, entry from width side, plain top | ✓ | ✓ | ✓ |
| PNR 2 HS 1111-53 | 1100 | 1100 | 150 | 3 longitudinal skids, entry from length side, corrugated top | ✓ | ✓ | ✓ |
| PNR 2 HS 1212-01 | 1200 | 1200 | 170 | 3 longitudinal skids, entry from length side, corrugated top with border | ✓ | ✓ | ✓ |
| PNR 2 HS 1212-02 | 1200 | 1200 | 170 | 3 longitudinal skids, entry from length side, corrugated top | ✓ | ✓ | ✓ |
| PNR 2 HS 1212-04 | 1200 | 1200 | 170 | 3 longitudinal skids, entry from length side, plain top | ✓ | ✓ | ✓ |
| PNR 2 HS 1212-05 | 1200 | 1200 | 155 | 3 longitudinal skids, entry from length side, corrugated top | ✓ | ✓ | ✓ |
| PNR 2 HS 1212-06 | 1200 | 1200 | 175 | 3 longitudinal skids, entry from length side, plain top with safety edge (border), racking grooves | ✓ | ✓ | ✓ |

PALLETS
(CONT'D)



PNR 2 EHS



PNR 2 HS 222



PNR 2 HS 333



PNR 4 HS 333



PNR 2 HS REVERSIBLE

| RANGE & SPECIFICATIONS | | | | | | | | |
|---|-------------|------------|-------------|---|--------|---------|---------|--|
| Code No. | Length (mm) | Width (mm) | Height (mm) | Descriptions | Static | Dynamic | Racking | |
| (POPULAR) MOULDED NON-REVERSIBLE 2-WAY ENTRY (EHS SERIES) | | | | | | | | |
| PNR 2 E-HS 1012-01 | 1200 | 1000 | 145 | 3 longitudinal skids, entry from width side, with plain top | ✓ | ✓ | ✓ | |
| PNR 2 E-HS 1012-02 | 1200 | 1000 | 150 | 3 longitudinal skids, entry from width side, with plain top and racking grooves | ✓ | ✓ | ✓ | |
| PNR 2 E-HS 1212-01 | 1200 | 1200 | 150 | 3 longitudinal skids, entry from length side, with plain top | ✓ | ✓ | ✓ | |
| PNR 2 E-HS 1215-01 | 1500 | 1200 | 150 | 3 longitudinal skids, entry from length side, with plain top | ✓ | ✓ | ✓ | |
| (POPULAR) MOULDED NON-REVERSIBLE 2-WAY ENTRY (222 HS SERIES) | | | | | | | | |
| PNR 2 HS 0812-222 | 1200 | 800 | 150 | 3 longitudinal skids, entry from width side, plain top | ✓ | ✓ | ✓ | |
| PNR 2 HS 0812-223 | 1200 | 800 | 150 | 3 longitudinal skids, entry from width side, chequered top, racking and strapping grooves | ✓ | ✓ | ✓ | |
| PNR 2 HS 0909-222 | 900 | 900 | 150 | 3 longitudinal skids, entry from length side, plain top | ✓ | ✓ | ✓ | |
| PNR 2 HS 1010-222 | 1000 | 1000 | 150 | 3 longitudinal skids, entry from length side, plain top | ✓ | ✓ | ✓ | |
| PNR 2 HS 1012-222 | 1200 | 1000 | 150 | 3 longitudinal skids, entry from width side, plain top | ✓ | ✓ | ✓ | |
| PNR 2 HS 1212-222 | 1200 | 1200 | 155 | 3 longitudinal skids, entry from length side, plain top | ✓ | ✓ | ✓ | |
| (POPULAR) MOULDED NON-REVERSIBLE 4-WAY ENTRY (222 HS SERIES) | | | | | | | | |
| PNR 4 HS 0909-222 | 900 | 900 | 135 | 9 legs, standard top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1012-222 | 1200 | 1000 | 165 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| (POPULAR) MOULDED NON-REVERSIBLE 2-WAY ENTRY (333 HS SERIES) | | | | | | | | |
| PNR 2 HS 0812-333 | 1200 | 800 | 167 | 3 longitudinal skids, entry from width side, with plain top, racking grooves | ✓ | ✓ | ✓ | |
| PNR 2 HS 1012-333 | 1200 | 1000 | 167 | 3 longitudinal skids, entry from width side, with plain top, racking grooves | ✓ | ✓ | ✓ | |
| PNR 2 HS 1012-3332 | 1200 | 1000 | 167 | 3 longitudinal skids, entry from length side, with plain top, racking grooves | ✓ | ✓ | ✓ | |
| PNR 2 HS 1212-333 | 1200 | 1200 | 167 | 3 longitudinal skids, entry from length side, with plain top, racking grooves | ✓ | ✓ | ✓ | |
| PNR 2 HS 1212-3331 | 1200 | 1200 | 167 | 3 longitudinal skids, entry from length side, plain top, with safety edge (border), and strapping and racking grooves | ✓ | ✓ | ✓ | |
| (POPULAR) MOULDED NON-REVERSIBLE 4-WAY ENTRY (333 HS SERIES) | | | | | | | | |
| PNR 4 HS 1012-333 | 1200 | 1000 | 167 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1012-3332 | 1200 | 1000 | 167 | 9 legs, plain top, racking and strapping grooves | ✓ | ✓ | ✗ | |
| PNR 4 HS 1212-333 | 1200 | 1200 | 167 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| (POPULAR) MOULDED NON-REVERSIBLE 2-WAY ENTRY (444 HS SERIES) | | | | | | | | |
| PNR 2 HS 1012-444 | 1200 | 1000 | 150 | 3 longitudinal skids, entry from width side, plain top | ✓ | ✓ | ✓ | |
| PNR 2 HS 1212-444 | 1200 | 1200 | 150 | 3 longitudinal skids, entry from length side, plain top | ✓ | ✓ | ✓ | |

PALLETS
(CONT'D)



PNR 4 1010-51



PNR 4 HS 1012-12



PNR 2 HS 1012-010 (PERFORATED)




SP SERIES



PNR 4 INJ



NEW ECOPAL PALLETS



SPILLAGE PALLET

| RANGE & SPECIFICATIONS | | | | | | | | |
|---|-------------|------------|-------------|--|--------|---------|---------|--|
| Code No. | Length (mm) | Width (mm) | Height (mm) | Descriptions | Static | Dynamic | Racking | |
| (POPULAR) MOULDED NON-REVERSIBLE 4-WAY ENTRY (HS SERIES) | | | | | | | | |
| PNR 4 HS 0709-01 | 915 | 700 | 150 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| PNR 4 HS 0709-02 | 925 | 740 | 175 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| PNR 4 HS 0810-02 | 1000 | 800 | 185 | 9 legs, standard top | ✓ | ✓ | ✗ | |
| PNR 4 HS 0810-03 | 1085 | 830 | 165 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| PNR 4 HS 0812-02 | 1200 | 800 | 170 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| PNR 4 HS 0909-02 | 900 | 900 | 150 | 9 legs, standard top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1010-01 | 1000 | 1000 | 200 | 9 legs, standard top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1010-03 | 1000 | 1000 | 200 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1012-01 | 1200 | 1000 | 195 | 9 legs, standard top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1012-07 | 1200 | 1000 | 195 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1012-112 | 1200 | 1000 | 150 | 3 longitudinal skids, restricted entry from length side, plain top | ✓ | ✓ | ✓ | |
| PNR 4 HS 1012-14 | 1200 | 1000 | 175 | 3 longitudinal skids, restricted entry from length side, corrugated top | ✓ | ✓ | ✓ | |
| PNR 4 HS 1212-01 | 1200 | 1200 | 190 | 9 legs, standard top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1212-03 | 1210 | 1210 | 170 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1216-01 | 1600 | 1200 | 140 | 9 legs, plain top | ✓ | ✓ | ✗ | |
| (REGULAR) MOULDED REVERSIBLE 2-WAY ENTRY (HS SERIES) | | | | | | | | |
| PRR 2 HS 1012-03 | 1275 | 1000 | 160 | Entry from length side, plain top | ✓ | ✓ | ✓ | |
| PRR 2 HS 1111-01 | 1100 | 1100 | 180 | Entry from length side, corrugated top | ✓ | ✓ | ✓ | |
| PRR 2 HS 1212-01 | 1200 | 1200 | 140 | Entry from length side, corrugated top | ✓ | ✓ | ✓ | |
| PRR 2 HS 1212-02 | 1200 | 1200 | 175 | Entry from length side, drum pallet | ✓ | ✓ | ✓ | |
| (PERFORATED) MOULDED NON-REVERSIBLE 2/4-WAY ENTRY | | | | | | | | |
| PNR 2 HS 1012-010 | 1200 | 1050 | 150 | 3 longitudinal skids, entry from width side, with perforated top | ✓ | ✓ | ✓ | |
| PNR 2 HS 1012-224 | 1200 | 1000 | 150 | 3 longitudinal skids, entry from width side, with perforated top | ✓ | ✓ | ✓ | |
| PNR 4 1010-51 | 1000 | 1000 | 150 | 9 legs, perforated top | ✓ | ✓ | ✗ | |
| PNR 4 1111-51 | 1120 | 1120 | 145 | 9 legs, perforated top | ✓ | ✓ | ✗ | |
| PNR 4 HS 1012-12 | 1200 | 1000 | 150 | 3 longitudinal skids, restricted entry from width side, with perforated top | ✓ | ✓ | ✓ | |
| PNR 4 HS 1012-13 | 1200 | 1000 | 150 | 3 longitudinal skids, restricted entry from length side, with perforated top | ✓ | ✓ | ✓ | |
| POLY PALLETS | | | | | | | | |
| PNR 2 SP 1010-05 | 1000 | 1000 | 125 | SP SERIES (superior polymer) | ✓ | ✓ | ✓ | |
| PNR 2 SP 1012-05 | 1200 | 1000 | 125 | SP SERIES (superior polymer) | ✓ | ✓ | ✓ | |
| PNR 2 SP 1212-05 | 1200 | 1200 | 125 | SP SERIES (superior polymer) | ✓ | ✓ | ✓ | |
| PSNR SP 1570-05 | 1500 | 760 | 125 | SP SERIES (superior polymer) | ✓ | ✗ | ✗ | |
| INJECTION MOULDED PALLETS | | | | | | | | |
| PNR 4 INJ-EP 1012-01- WS | 1200 | 1000 | 155 | One time use export pallet with skids | ✓ | ✓ | ✗ | |
| PNR 4 INJ-EP 1111-01- WS | 1100 | 1100 | 155 | One time use export pallet with skids | ✓ | ✓ | ✗ | |
| NEW ECOPAL PALLETS | | | | | | | | |
| PNR 4 E 1111-01 | 1120 | 1120 | 125 | 9 legs, 4 way entry, plain top | ✓ | ✓ | ✗ | |
| SPILLAGE PALLETS | | | | | | | | |
| PNR 2 SL 1313-01 | 1300 | 1300 | 200 | Spillage pallet with FRP gratings | ✓ | ✗ | ✗ | |

Note: Above mentioned HS series pallets also available without HS (i.e. without steel reinforcement)

INSULATED CRATES

GENERAL PURPOSE INSULATED BOXES

FEATURES:

- Made from FDA approved grades of polyethylene materials in double wall construction by a unique moulding process
- Rigid PUF (Polyurethane Foam) having 'k' value of 0.016 Kcal/mhr°C being used as insulation material
- Superior grade fittings and hardware
- Hygienic
- Strong and durable
- Leakproof, rustproof and corrosion-free
- Keeps things stored in hot/cold condition for longer period
- Available in elegant colours
- Built-in space to print message logo and brand name



| RANGE & SPECIFICATIONS | | | | | | |
|------------------------------------|-------------------|-------------|------------|-------------|--|-------------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) | Product Features | Available Colours |
| SMALL SIZE INSULATED BOXES | | | | | | |
| IR 1-01 | 10 | 375 | 250 | 190 | Compact, hygienic, economical, ideal replacement for thermocol boxes | Red, Light Blue |
| IR 2-01 | 20 | 370 | 300 | 340 | Compact, hygienic, economical, ideal replacement for thermocol boxes | Red, Light Blue |
| IR 2-011 | 20 | 360 | 290 | 320 | Compact, hygienic, economical with hinges and accessories | Red, Light Blue |
| IR 2-02 | 20 | 415 | 290 | 285 | Compact, hygienic, economical, ideal replacement for thermocol boxes | Red, Light Blue |
| IR 2.5-01 | 25 | 390 | 320 | 355 | Available with hinge and access | Red, Light Blue |
| IR 2.5-011 | 25 | 390 | 320 | 333 | Available with hinge and access | Red, Light Blue |
| IR 5-01 | 50 | 570 | 400 | 395 | Compact, hygienic with hinge and accessories | Red, Light Blue |
| IR 5-011 | 50 | 550 | 385 | 380 | Compact, hygienic, economical with hinge and accessories | Red, Light Blue |
| IR 5-07 | 50 | 560 | 420 | 365 | Available with additional small openable lid | Red, Light Blue |
| IR 5-013 | 50 | 560 | 420 | 365 | Available with small openable lid and standard accessories | Red, Blue |
| IR 6-01 | 60 | 570 | 425 | 440 | Available without drain plug | Red, Light Blue |
| IR 6-011 | 60 | 570 | 425 | 440 | Compact, hygienic and economical without drain | Red, Light Blue |
| IR 6-05 | 60 | 550 | 420 | 420 | With small lid, hinges, drain and lock | Red, Light Blue |
| MEDIUM SIZE INSULATED BOXES | | | | | | |
| IR 7-01 | 70 | 655 | 505 | 515 | Extra insulation thickness, in-built pocket handle | Red, Light Blue |
| IR 7-02 | 70 | 655 | 505 | 575 | Extra insulation thickness available with additional small openable lid | Red, Light Blue |
| IR 7-03 | 70 | 510 | 510 | 500 | Available with additional small openable lid | Red, Light Blue |
| IR 10-01 | 100 | 770 | 545 | 460 | Available with standard hinge and accessories, drain | Red, Light Blue |
| IR 10-07 | 100 | 735 | 530 | 530 | With small lid and pultruded rod, drain and lock | Ivory, Green, Red |
| IR 12-01 | 120 | 610 | 610 | 625 | Hygienic with hinge and accessories | Red, Light Blue |
| IR 12-02 | 120 | 610 | 610 | 635 | Available with small openable lid | Red, Light Blue |
| IR 15-01 | 150 | 850 | 600 | 540 | Available with hinge and accessories | Red, Light Blue |
| IR 15-03 | 150 | 800 | 570 | 775 | Available with additional small openable lid and drain hole with in-built pocket handle, 4 locks | Red, Light Blue |
| IR 15-04 | 150 | 800 | 570 | 775 | Available with openable lids, pultruded rod, handles and drains | Red, Blue |
| LARGE SIZE INSULATED BOXES | | | | | | |
| IR 22-01 | 220 | 950 | 580 | 700 | Available with lock, suitable for storing | Ivory, Red |
| IR 33-01 | 330 | 1320 | 580 | 700 | Moulded with special projections for keeping 3 ice pads | Ivory, Red |
| IR 56-02 | 560 | 1100 | 900 | 995 | Insulated box with pallet base and 2 drain holes | Red, Light Blue |

FISH BOXES/INSULATED SHIPPERS

FEATURES:

- Made from FDA approved grades of polyethylene material in double wall construction by a unique moulding process
- Rigid PUF (Polyurethane Foam) having 'k' value of 0.016 Kcal/mhr°C being used as insulation material
- 100% hygienic
- Tight fittings to keep ice melting rate in line with the best in the world
- Available with rubber clamps for locking lid [to prevent corrosion]
- Drainage plugs at bottom for water removal
- Tapered inner bottom for maximum drainage
- Lid with suitable gasket for better temperature retention
- Robust construction for very long life
- Tested and approved by Indian Institute of Packaging
- Models available under MPEDA subsidy
- Stackable up to 3-4 units
- No prominent projection hence easy transportation
- Moulded-in handles



| RANGE & SPECIFICATIONS | | | | | | |
|------------------------|-------------------|-------------|------------|-------------|--|-------------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) | Product Features | Available Colours |
| IR 5-21 | 50 | 575 | 405 | 450 | In-built hooks for lid closing with rubber clamps. Threaded drain plugs 1 nos. for draining. | Ivory, Red |
| IR 7-21 | 70 | 750 | 485 | 395 | In-built hooks for lid closing with rubber clamps. Threaded drain plugs 1 nos. for draining. | Ivory, Red |
| IR 10-21 | 100 | 810 | 530 | 445 | In-built hooks for lid closing with rubber clamps. Threaded drain plugs 1 nos. for draining. | Ivory, Red |
| IR 22-21 | 220 | 970 | 580 | 635 | In-built hooks for lid closing with rubber clamps. Threaded drain plugs 2 nos. for draining. | Ivory, Red |
| IR 31-21 | 310 | 915 | 712 | 760 | In-built hooks for lid closing with rubber clamps. Threaded drain plugs 2 nos. for draining. | Ivory, Red |
| IR 33-21 | 330 | 1004 | 755 | 725 | In-built hooks for lid closing with rubber clamps. 4-way entry type pallet base, threaded drain plugs 2 nos. for draining. | Ivory, Red |
| IR 38-21 | 380 | 995 | 750 | 755 | In-built hooks for lid closing with rubber clamps. 4-way entry type pallet base, threaded drain plugs 4 nos. for draining. | Ivory, Red |
| IR 46-21 | 460 | 1225 | 1025 | 645 | In-built hooks for lid closing with rubber clamps. 4-way entry type pallet base, threaded drain plug 4 nos. for draining. | Ivory, Red |
| IR 66-21 | 660 | 1220 | 1020 | 830 | In-built hooks for lid closing with rubber clamps. 4-way entry type pallet base, threaded drain plug 4 nos. for draining. | Ivory, Red |
| IR 66-25 | 660 | 1265 | 1065 | 880 | In-built hooks for lid closing with rubber clamps. 4-way entry type pallet base, threaded drain plug 4 nos. for draining. | Ivory, Red |
| IR 100-21 | 1000 | 1795 | 1065 | 825 | In-built hooks for lid closing with rubber clamps. 4-way entry type pallet base, threaded drain plug 4 nos. for draining. | Ivory, Red |

PREMIUM BOXES



RANGE & SPECIFICATIONS

| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) | Product Features | Available Colours |
|------------|-------------------|-------------|------------|-------------|---------------------------------------|-------------------|
| IRE 1-01 | 10 | 375 | 260 | 210 | 2 hinges, 1 lock, 1 strap, gasket | Red, Dark Blue |
| IRE 2-01 | 20 | 410 | 285 | 295 | 2 hinges, 1 lock, 1 strap, gasket | Red, Dark Blue |
| IRE 2.5-01 | 25 | 390 | 315 | 350 | 2 hinges, 2 locks, 1 strap, gasket | Red, Dark Blue |
| IRE 5-01 | 50 | 560 | 395 | 410 | 2 hinges, 2 locks, 2 handles, 1 drain | Red, Dark Blue |
| IRE 6-01 | 60 | 565 | 420 | 465 | 2 hinges, 2 locks, 2 handles, 1 drain | Red, Dark Blue |
| IRE 10-01 | 100 | 770 | 540 | 485 | 3 hinges, 2 locks, 4 handles, 1 drain | Red, Dark Blue |
| IRE 13-01 | 130 | 990 | 470 | 500 | 3 hinges, 2 locks, 4 handles, 1 drain | Red, Dark Blue |
| IRE 15-01 | 150 | 840 | 590 | 530 | 3 hinges, 2 locks, 4 handles, 1 drain | Red, Dark Blue |
| IRE 20-01 | 200 | 1340 | 480 | 540 | 4 hinges, 3 locks, 4 handles, 1 drain | Red, Dark Blue |

COOLER CAN BOXES

RANGE & SPECIFICATIONS

| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) | Product Features | Available Colours |
|-----------|-------------------|-------------|------------|-------------|---------------------|-------------------|
| IRIB 5-01 | 55 | 630 | 401 | 375 | Extra PUF thickness | Red, Dark Blue |



IRIB 5-01

DESIGNER BOXES

RANGE & SPECIFICATIONS

| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) | Product Features | Available Colours |
|----------|-------------------|-------------|------------|-------------|--|-------------------|
| IRD 5-01 | 50 | 515 | 415 | 420 | Glossy finish box, 2 hinges 1 lock | Red, Dark Blue |
| IRD 5-02 | 50 | 550 | 405 | 415 | Matt finish box, with hinges and locks | Red, Dark Blue |



IRD 5-01



IRD 5-02

VACCINE CARRIERS & COLD BOXES

RANGE & SPECIFICATIONS

| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) | Product Features | Available Colours |
|------------|-------------------|-------------|------------|-------------|---------------------------------|-------------------|
| IVB 2-01 | 1.6 | 243 | 243 | 260 | Vaccine carrier with 4 icepacks | Grey |
| IVB 2.5-02 | 8 | 550 | 515 | 440 | Cold box with 32 icepacks | Grey |
| IVB 5-02 | 21 | 790 | 520 | 570 | Cold box with 49 icepacks | Grey |
| IP-300 | 0.30 | 165 | 95 | 33 | Icepack | White |



FRP UNDERGROUND STORAGE TANKS

SINTEX UNDERGROUND FUEL STORAGE TANKS

FEATURES:

- Rustproof and leakproof • Lightweight • Durable and cost-effective • Corrosion proof • Quality manufacturing
- Compatibility with all blends of Methanol and Ethanol
- Ease of installation • Long life • Strength and durability
- Approved by CCOE, Nagpur • Manufactured as per 'UL-1316' Standards

RANGE & SPECIFICATIONS

| Code No. | Capacity (Litres) | Dia. (mm) | Length (mm) | Manhole Dia. (mm) |
|-----------------|-------------------|-----------|-------------|-------------------|
| CFUG 1000-01 SW | 10000 | 1830 | 4310 | 550 |
| CFUG 1500-01 SW | 15000 | 1830 | 6290 | 550 |
| CFUG 1500-02 SW | 15000 | 2340 | 4310 | 550 |
| CFUG 2000-01 SW | 20000 | 1830 | 8270 | 550 |
| CFUG 2000-02 SW | 20000 | 2340 | 5520 | 550 |
| CFUG 2500-01 SW | 25000 | 1830 | 10250 | 550 |
| CFUG 2500-02 SW | 25000 | 2340 | 6740 | 550 |
| CFUG 3000-02 SW | 30000 | 2340 | 7950 | 550 |
| CFUG 3500-02 SW | 35000 | 2340 | 9160 | 550 |
| CFUG 4000-02 SW | 40000 | 2340 | 10380 | 550 |
| CFUG 4500-02 SW | 45000 | 2340 | 11590 | 550 |
| CFUG 5000-02 SW | 50000 | 2340 | 12800 | 550 |



FRP UNDERGROUND FUEL STORAGE TANKS (DOUBLE WALL)

FEATURES:

- Corrosion proof • Leakproof • Strong • Ease of installation • Eco-friendly



| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-----------|-------------|-------------------|
| Code No. | Capacity (Litres) | Dia. (mm) | Length (mm) | Manhole Dia. (mm) |
| CFUG 1000-01 DW | 10000 | 1830 | 4310 | 550 |
| CFUG 1500-01 DW | 15000 | 1830 | 6290 | 550 |
| CFUG 1500-02 DW | 15000 | 2340 | 4310 | 550 |
| CFUG 2000-01 DW | 20000 | 1830 | 8270 | 550 |
| CFUG 2000-02 DW | 20000 | 2340 | 5520 | 550 |
| CFUG 2500-01 DW | 25000 | 1830 | 10250 | 550 |
| CFUG 2500-02 DW | 25000 | 2340 | 6740 | 550 |
| CFUG 3000-02 DW | 30000 | 2340 | 7950 | 550 |
| CFUG 3500-02 DW | 35000 | 2340 | 9160 | 550 |
| CFUG 4000-02 DW | 40000 | 2340 | 10380 | 550 |
| CFUG 4500-02 DW | 45000 | 2340 | 11590 | 550 |
| CFUG 5000-02 DW | 50000 | 2340 | 12800 | 550 |

OTHER PRODUCTS

DRYER TRAYS

FEATURES:

- Chemical resistant • Withstands temp. from -40°C to +140°C • Extremely durable • Ideal for hot air dryers used in dryer, intermediates, pharma, plastic, food storage and other industries

| RANGE & SPECIFICATIONS | | |
|------------------------|-------------------------|---------------------------|
| Code No. | Overall Dimensions (mm) | Overall Dimensions (inch) |
| GS-TR-045 | 450 x 300 x 20 | 18 x 12 x 3/4 |
| GS-TR-080 | 810 x 405 x 30 | 32 x 16 x 1.1/4 |
| GS-TR-090 | 900 x 600 x 30 | 36 x 24 x 1.1/4 |



SINTEX ON-GROUND CHEMICAL STORAGE TANKS

FEATURES:

- Corrosion proof • Compatible with most chemicals • Easy to install • Lifecycle advantage • Strong and durable • Ideal for storing chemical solvents

| RANGE & SPECIFICATIONS | | | | |
|------------------------|-------------------|-----------|-------------|-------------------|
| Code No. | Capacity (Litres) | Dia. (mm) | Length (mm) | Manhole Dia. (mm) |
| CCOG 1000-01 SW | 10000 | 1830 | 4300 | 550 |
| CCOG 1500-02 SW | 15000 | 2340 | 4310 | 550 |
| CCOG 2000-02 SW | 20000 | 2340 | 5520 | 550 |
| CCOG 2500-02 SW | 25000 | 2340 | 6740 | 550 |
| CCOG 3000-02 SW | 30000 | 2340 | 7900 | 550 |
| CCOG 3500-02 SW | 35000 | 2340 | 9160 | 550 |
| CCOG 4000-02 SW | 40000 | 2340 | 10380 | 550 |
| CCOG 4500-02 SW | 45000 | 2340 | 11590 | 550 |
| CCOG 5000-02 SW | 50000 | 2340 | 12800 | 550 |



INTERMEDIATE BULK CONTAINERS

FEATURES:

- Threaded lid • Available with option of timber/composite plastic/metal pallet base • Ball type bottom valve • Standard colour: Natural for containers • Standard: For liquids up to density 1.0 • Heavy duty: For liquids up to density 1.2

| RANGE & SPECIFICATIONS | | | | | |
|--|-------------------|-------------|------------|-------------|------------|
| Code No. | Capacity (Litres) | Length (mm) | Width (mm) | Height (mm) | Mouth (mm) |
| IBC-RM-100-01-W (wooden pallet) | 1000 | 1200 | 1000 | 1175 | 150 |
| IBC-RM-100-01-P (plastic composite pallet) | 1000 | 1200 | 1000 | 1160 | 150 |
| IBC-RM-100-01-M (metal pallet) | 1000 | 1200 | 1000 | 1180 | 150 |



Wooden Pallet



Plastic Composite Pallet




Metal Pallet

FRP GRATING

FEATURES:

- Anti-corrosive • High strength • Maintenance-free • Self-coloured
- Slip resistant • Non-magnetic • Easy installation



FRP CABLE TRAYS

FEATURES:

- Weatherproof • UV stabilized • Fire retardant • Non-magnetic
- No corrosion • No chemical erosion • Maintenance-free
- Lightweight • High load-bearing capacity • Easy to install
- Suitable for horizontal, vertical layout



OEM & CUSTOM MOULDING

COOLING TOWER INDUSTRY



BATTERY INDUSTRY




GENSET INDUSTRY













DEFENCE & TELECOMMUNICATION INDUSTRY



PACKAGING SOLUTIONS



DOS AND DON'TS ABOUT PALLETS

| Dos | Don'ts | Dos | Don'ts |
|--|---|--|--|
|  <p>Put load in brick formation only (distributed load).</p> |  <p>Don't put load in single line. stack/article may slip or become unstable during movement.</p> |  <p>Always lift from the center of the pallet.</p> |  <p>Don't put load on one point.</p> |
|  <p>Put load as specified by manufacturer.</p> |  <p>Don't load more than specified capacity.</p> |  <p>Pallets are meant for indoor application.</p> |  <p>Don't store pallets directly under the sun.</p> |
|  <p>Only single pallet should be lifted at a time.</p> |  <p>Don't lift pallet in stacked condition.</p> | | |

Contact Us:

Pooja Trading Co.

K-1, Kasturi complex, Anjur road,

Rahnal Village, Bhiwandi,

Dist.Thane, Maharashtra - 421302

Contact No : +91-9920469004

Email Id : poojatrading@gmail.com

Website : www.poojatrading.com

